

Accessibility conformance report for

www.magnith.com

Last updated: 06/10/2026

This document has been drafted in a simplified form, using clear and understandable language, in accordance with the accessibility principles and requirements set out in Directive (EU) 2019/882 and Legislative Decree No. 82 of 27 May 2022, with particular reference to the obligation to provide information that is perceivable, operable, understandable and robust for all users, including people with disabilities.

Pursuant to Article 12 of Legislative Decree No. 82/2022 and Annex I, Sections III and IV, information relating to the accessibility of services must be presented in a clear, comprehensible and accessible manner, including through the use of plain language and a straightforward structure.

The decision to keep this document concise and straightforward is therefore a direct fulfilment of a regulatory obligation and does not constitute a limitation on the information available, which remains fully governed by the relevant technical and legal documentation.

This document has been provided by [Accessiway](#) in order to comply with the requirements of the European Accessibility Act until the competent national authority provides the official template.

Each complex paragraph is introduced by an explanation in simpler language.

Introduction

We would like everyone, including people with disabilities, to be able to use our service easily. This document explains what we do to ensure that our website is accessible and complies with laws and standards such as the European Accessibility Act and the WCAG.

MAGNI TELESCOPIC HANDLERS SRL – SINGLE-MEMBER COMPANY is committed to accessibility and inclusivity. We would like all our customers, including people with disabilities, to be able to use our service successfully.

This document outlines the accessibility features of www.magnith.com, and explains how we meet the requirements of the European Accessibility Act, the EN 301549 standard, WCAG 2.2, the ADA and Sec. 508, and what we are doing to maintain and improve accessibility. This statement applies only to www.magnith.com.

We review this information regularly as we improve www.magnith.com.

Overview

Service description

Corporate website for Magni Telescopic Handlers Srl, a B2B portal showcasing the Magni brand worldwide, featuring an extensive product catalogue.

How to use www.magnith.com (Accessibility & Usability)

We strive to make www.magnith.com easy to use for everyone. Here is an overview of how to navigate and use our service when using assistive technologies or special set-ups:

How to use www.magnith.com

Users can browse the website to view information about the company and its products, compare products, download documents and catalogues, check for dealers in their area, and contact the company via the online form.

Accessibility of www.magnith.com

It uses the standard methods for interacting with the operating system and assistive technologies.

If you need further clarification on how to use any part of www.magnith.com, please contact our support team for personalised assistance. We aim to provide any additional descriptions or explanations necessary for the service to function correctly.

Accessibility Conformance

(How we meet the requirements)

We have assessed www.magnith.com against the requirements of the European Accessibility Act (including its local implementation where applicable), the ADA, WCAG 2.2 and Section 508. The website has been found to be:

Perceivable

- The content is presented in a clear and logical order that assistive technologies can interpret.
- Instructions are not based solely on factors such as shape, colour, size, position or sound.
- The content adapts correctly to the screen orientation, whilst maintaining consistent display and functionality.
- Where they are present, the purpose of the input fields is clearly communicated to assistive technologies.
- The content can be resized whilst the interface remains usable.
- Information is presented as text, not as text-based images, unless necessary.
- The key components provide sufficient colour contrast with the adjacent elements, regardless of their different statuses.
- Changing the text spacing does not result in any loss of information.

Operable

- Users can move freely using the keyboard and are never stuck within a component.
- Where present, single-character shortcut keys do not cause any unexpected actions.
- There are no time limits, or users can check them or extend them as required.
- There is no flashing or flickering content that could trigger epileptic seizures.
- Skip links allow you to easily access the main content.
- Each screen has a title that indicates its purpose.
- The content can be accessed in more than one way.
- The headings and labels clearly describe the content and features.
- Elements that have keyboard focus are always visible on the screen.
- All the features can be used without any complicated actions.
- The functions do not activate immediately when touched; they can be cancelled and do not require prolonged pressure.
- The name read out by assistive technologies corresponds to the visible text on the label.

- All the features work without requiring the device or the user to move.
- All the features work without the need for any dragging and dropping.
- The interactive elements have a clickable area large enough to be used easily.

Understandable

- Each page has a defined language that is used consistently.
- Where they occur, changes in language within the text can be recognised by assistive technologies.
- When the keyboard focuses on an element, this does not cause any unexpected changes.
- Enabling an element does not cause any unexpected changes.
- The navigation options are always in the same place within the service.
- Repeated interface elements are always the same and easy to recognise.
- The help and support options are consistent throughout the service.
- We write our content in clear and simple language.

Robust

- We use standard technologies which assistive technologies can interpret.

We have tested www.magnith.com with the most common assistive technologies across a wide variety of operating system and browser configurations:

- Screen readers (such as NVDA and JAWS on Windows, and VoiceOver on Mac and iOS) to check that all interactive elements are announced correctly and can be used.
- We also test the screen magnification and high-contrast modes.

We aim to ensure compatibility with the current versions of the main assistive technologies. Our code follows the best practices set out in WCAG 2.2 and EN 301 549 standards to ensure a robust implementation, which means it should remain accessible even as technology evolves.

Standards: based on the above, we apply the latest WCAG 2.2 AA and EN 301 549 criteria to ensure accessibility. Compliance with these standards creates a presumption of compliance with the requirements of the EAA, the ADA and other regulations based on the same technical standards.

Ongoing monitoring and maintenance

For us, accessibility is not a one-off commitment, but an ongoing process. Here is how we ensure that www.magnith.com remains accessible over time:

- With the support of [AccessiWay](#), on **6 October 2026** we carried out an external, expert-led manual audit to verify our compliance with accessibility standards. We maintain a cycle of continuous testing and improvement, with regular support to ensure that comprehensive audits are carried out at least once a year, including manual testing by professionals who use assistive technologies.
- We use automated testing tools integrated into our development process to identify the most common accessibility issues (such as missing alt text or form labelling) at an early stage. Every code update goes through these checks.

Feedback and Contact

We are pleased to receive your suggestions on how to improve www.magnith.com. If you encounter any problems or have any suggestions, please contact us by email, telephone or post. Please explain the problem in detail so that we can help you.

We really value feedback from our users, especially when they let us know that something is not quite right. If you are having difficulty accessing any part of www.magnith.com, if you encounter an accessibility issue, or if you have any suggestions for improvement, please let us know.

Email: accessibility@magnith.com

Phone: [+39 059 8031000](tel:+390598031000)

Company address: [Via Magellano 22, 41013 Castelfranco Emilia, Modena - Italy](#)

When you contact us, please provide as many details as possible about the issue (such as which page or feature, what happened, and which support technology you are using, if applicable). We will aim to acknowledge your feedback within 15 working days and will do our best to resolve the issue promptly or to keep you updated on our progress.

Application: If you feel that your accessibility issues have not been adequately addressed, you have the right to lodge a complaint. We sincerely hope to resolve any issues with you before they reach this stage.

Document history: This document was last revised and updated on [6 October 2026](#). We plan to review it at least once a year, or whenever there are significant changes to the service.

EN301549 technical report

Chapter 5: Generic requirements

Criteria	Conformance levels	Notes
5.1 Closed functionality	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
5.1.2 General	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
5.1.2.1 Closed functionality	<i>See sections 5.2 to 13</i>	<i>See sections 5.2 to 13</i>
5.1.2.2 Assistive technology	<i>See sections 5.1.3 to 5.1.6</i>	<i>See sections 5.1.3 to 5.1.6</i>
5.1.3 Non-visual access	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
5.1.3.1 Auditory output of visual information	Not applicable	
5.1.3.2 Auditory output delivery including speech	Not applicable	
5.1.3.3 Auditory output correlation	Not applicable	
5.1.3.4 Speech output user control	Not applicable	
5.1.3.5 Speech output automatic interruption	Not applicable	
5.1.3.6 Auditory output for non-text content	Not applicable	
5.1.3.7 Auditory output for video information	Not applicable	

Criteria	Conformance levels	Notes
5.1.3.8 Masked entry	Not applicable	
5.1.3.9 Private access to personal data	Not applicable	
5.1.3.10 Non-interfering audio output	Not applicable	
5.1.3.11 Private listening volume	Not applicable	
5.1.3.12 Speaker volume	Not applicable	
5.1.3.13 Volume reset	Not applicable	
5.1.3.14 Spoken languages	Not applicable	
5.1.3.15 Non-visual error identification	Not applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	
5.1.4 Functionality closed to text enlargement	Not applicable	
5.1.5 Visual output for auditory information	Not applicable	
5.1.6 Operation without keyboard interface	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
5.1.6.1 Closed functionality	<i>See sections 5.1.3.1 to 5.1.3.16</i>	<i>See sections 5.1.3.1 to 5.1.3.16</i>
5.1.6.2 Input focus	Not applicable	
5.1.7 Access without speech	Not applicable	
5.2 Activation of accessibility features	Not applicable	

Criteria	Conformance levels	Notes
5.3 Biometrics	Not applicable	
5.4 Preservation of accessibility information during conversion	Not applicable	
5.5 Operable parts	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
5.5.1 Means of operation	Not applicable	
5.5.2 Operable parts discernibility	Not applicable	
5.6 Locking or toggle controls	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
5.6.1 Tactile or auditory status	Not applicable	
5.6.2 Visual status	Not applicable	
5.7 Key repeat	Not applicable	
5.8 Double-strike key acceptance	Not applicable	
5.9 Simultaneous user actions	Not applicable	

Chapter 6: ICT with two-way voice communication

Criteria	Conformance levels	Notes
6.1 Audio bandwidth for speech	<i>Not applicable</i>	
6.2 Real-Time Text (RTT) functionality	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
6.2.1.1 RTT communication	Not applicable	
6.2.1.2 Concurrent voice and text	Not applicable	
6.2.2.1 Visually distinguishable display		
6.2.2.2 Programmatically determinable send and receive direction	Not applicable	
6.2.2.3 Speaker identification	Not applicable	
6.2.2.4 Visual indicator of audio with RTT	Not applicable	
6.2.3 Interoperability	Not applicable	
6.2.4 RTT responsiveness	Not applicable	
6.3 Caller ID	Not applicable	
6.4 Alternatives to voice-based services	Not applicable	
6.5 Video communication	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
6.5.1 General (informative)	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>

Criteria	Conformance levels	Notes
6.5.2 Resolution	Not applicable	
6.5.3 Frame rate	Not applicable	
6.5.4 Synchronization between audio and video	Not applicable	
6.5.5 Visual indicator of audio with video	Not applicable	
6.5.6 Speaker identification with video (sign language) communication	Not applicable	
6.6 Alternatives to video-based services (recommendation)	<i>Advisory – no response required</i>	<i>Advisory – no response required</i>

Chapter 7: ICT with video capabilities

Criteria	Conformance levels	Notes
7.1 Caption processing technology	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
7.1.1 Captioning playback	Not applicable	
7.1.2 Captioning synchronization	Not applicable	
7.1.3 Preservation of captioning	Not applicable	
7.1.4 Captions characteristics	Not applicable	
7.1.5 Spoken subtitles	Not applicable	
7.2 Audio description technology	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
7.2.1 Audio description playback	Not applicable	
7.2.2 Audio description synchronization	Not applicable	
7.2.3 Preservation of audio description	Not applicable	
7.3 User controls for captions and audio description	Not applicable	

Chapter 8: Hardware

Criteria	Conformance levels	Notes
8.1.1 Generic requirements	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
8.1.2 Standard connections	Not applicable	
8.1.3 Colour	Not applicable	
8.2 Hardware products with speech output	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
8.2.1.1 Speech volume range	Not applicable	
8.2.1.2 Incremental volume control	Not applicable	
8.2.2.1 Fixed-line devices	Not applicable	
8.2.2.2 Wireless communication devices	Not applicable	
8.3 Stationary ICT	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
8.3.2.1 Unobstructed high forward reach	Not applicable	
8.3.2.2 Unobstructed low forward reach	Not applicable	
8.3.2.3.1 Clear space	Not applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not applicable	
8.3.2.4 Knee and toe clearance width	Not applicable	

Criteria	Conformance levels	Notes
8.3.2.5 Toe clearance	Not applicable	
8.3.2.6 Knee clearance	Not applicable	
8.3.3.1 Unobstructed high side reach	Not applicable	
8.3.3.2 Unobstructed low side reach	Not applicable	
8.3.3.3.1 Obstructed (≤ 255 mm) side reach	Not applicable	
8.3.3.3.2 Obstructed (≤ 610 mm) side reach	Not applicable	
8.3.4.1 Change in level	Not applicable	
8.3.4.2 Clear floor or ground space	Not applicable	
8.3.4.3.2 Forward approach	Not applicable	
8.3.4.3.3 Parallel approach	Not applicable	
8.3.5 Visibility	Not applicable	
8.3.6 Installation instructions	Not applicable	
8.4 Mechanically operable parts	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
8.4.1 Numeric keys	Not applicable	
8.4.2.1 Means of operation of mechanical parts	Not applicable	
8.4.2.2 Force of operation of mechanical parts	Not applicable	
8.4.3 Keys, tickets and fare cards	Not applicable	

Criteria	Conformance levels	Notes
8.5 Tactile indication of speech mode	Not applicable	

Chapter 9: Web (also applies to 10, 11 and 12)

Compliant with WCAG 2.2 Level A

Criteria	Conformance levels	Notes
1.1.1 Non-text content	Partially supported	Some images, icons or non-textual content do not have a text description.
1.2.1 Audio-only and video-only (pre-recorded)	Partially supported	Some audio-only or video-only recordings do not have a text or audio alternative.
1.2.2 Captions (pre-recorded)	Supported	
1.2.3 Audio description or media alternative (pre-recorded)	Supported	
1.3.1 Info and relationships	Partially supported	- In some cases, the structure or meaning of the content is purely visual and cannot be read by assistive technologies. - In some documents and in some cases, the structure or meaning of the content is purely visual and cannot be read by assistive technologies.
1.3.2 Meaningful sequence	Supported	
1.3.3 Sensory	Supported	

characteristics		
1.4.1 Use of colour	Partially supported	In some cases, colour alone is used to convey information.
1.4.2 Audio control	Supported	
2.1.1 Keyboard	Partially supported	Some features cannot be used with the keyboard.
2.1.2 No keyboard trap	Supported	
2.1.4 Character key shortcuts	Supported	
2.2.1 Timing adjustable	Supported	
2.2.2 Pause, Stop, Hide	Partially supported	It is not possible to pause, stop or hide moving or automatically updating content that lasts for more than 5 seconds when displayed alongside other content.
2.3.1 Three flashes or below threshold	Supported	
2.4.1 Bypass blocks	Supported	
2.4.2 Page titled	Supported	
2.4.3 Focus Order	Partially supported	When navigating sequentially, the focus order does not always reflect the meaning or functionality.
2.4.4 Link purpose (in context)	Partially supported	The purpose of some links or controls is not clear from their text or context.
2.5.1 Pointer gestures	Supported	
2.5.2 Pointer cancellation	Supported	
2.5.3 Label in name	Supported	

2.5.4 Motion actuation	Supported	
3.1.1 Language of page	Supported	
3.2.1 On focus	Supported	
3.2.2 On input	Supported	
3.2.6 Consistent help	Supported	
3.3.1 Error identification	Partially supported	When an error is detected, the field in question is not indicated, or the error is not described in text.
3.3.2 Labels or instructions	Partially supported	When the user is required to enter data, there are no labels or instructions.
3.3.7 Redundant entry	Supported	
4.1.1 Parsing	Supported	
4.1.2 Name, role, value	Partially supported	Some components do not correctly disclose the name, role, status or value to assistive technologies, or do not notify them of changes.

Compliant with WCAG 2.2 Level AA

Criteria	Conformance levels	Notes
1.2.5 Audio description (pre-recorded)	Supported	
1.3.4 Orientation	Supported	
1.3.5 Identify input	Supported	

purpose		
1.4.3 Contrast (minimum)	Partially supported	The text and text-based images do not always have sufficient contrast (excluding logos).
1.4.4 Resize text	Supported	
1.4.5 Images of text	Supported	
1.4.10 Reflow	Partially supported	Content that does not require a 2D layout is not rearranged when the screen size changes.
1.4.11 Non-text contrast	Supported	
1.4.12 Text spacing	Supported	
1.4.13 Content on Hover or Focus	Partially supported	When extra content appears on hover or when focus is gained, it cannot be closed, accessed or kept visible (with some exceptions).
2.4.5 Multiple ways	Supported	
2.4.6 Headings and labels	Supported	
2.4.7 Focus visible	Partially supported	The keyboard focus indicator does not appear on some interactive elements.
2.4.11 Focus not obscured (Minimum)	Supported	
2.5.7 Dragging movements	Supported	
2.5.8 Target size (minimum)	Supported	
3.1.2 Language of parts	Supported	
3.2.3 Consistent navigation	Supported	

3.2.4 Consistent identification	Supported	
3.3.3 Error suggestion	Partially supported	When an error is detected and a correction is known, it is not displayed (except for security reasons).
3.3.4 Error prevention (legal, financial, data)	Supported	
3.3.8 Accessible authentication (minimum)	Supported	
4.1.3 Status messages	Partially supported	Some status messages cannot be announced by assistive technologies without a change of focus.

Chapter 10: Non-web documents

Criteria	Conformance levels	Notes
10.0 General (informative)	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
From section 10.1.1.1 to 10.4.1.3	See the WCAG 2.2 section	See the information in the WCAG 2.2 section
10.5 Caption positioning	Not applicable	
10.6 Audio description timing	Not applicable	

Chapter 11: Software

Criteria	Conformance levels	Notes
11.0 General (informative)	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
From section 11.1.1.1 to 11.4.1.3	See the WCAG 2.2 section	See the information in the WCAG 2.2 section
11.5 Interoperability with assistive technology	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
11.5.1 Closed functionality	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
11.5.2 Accessibility services	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
11.5.2.1 Platform accessibility service support for software that provides a user interface	See sections 11.5.2.5 to 11.5.2.17	See the information in sections 11.5.2.5 to 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See sections 11.5.2.5 to 11.5.2.17	See the information in sections 11.5.2.5 to 11.5.2.17
11.5.2.3 Use of accessibility services	See sections 11.5.2.5 to 11.5.2.17	See the information in sections 11.5.2.5 to 11.5.2.17
11.5.2.4 Assistive technology	Not applicable	
11.5.2.5 Object information	Not applicable	
11.5.2.6 Row, column, and headers	Not applicable	
11.5.2.7 Values	Not applicable	
11.5.2.8 Label relationships	Not applicable	

Criteria	Conformance levels	Notes
11.5.2.9 Parent-child relationships	Not applicable	
11.5.2.10 Text	Not applicable	
11.5.2.11 List of available actions	Not applicable	
11.5.2.12 Execution of available actions	Not applicable	
11.5.2.13 Tracking of focus and selection attributes	Not applicable	
11.5.2.14 Modification of focus and selection attributes	Not applicable	
11.5.2.15 Change notification	Not applicable	
11.5.2.16 Modifications of states and properties	Not applicable	
11.5.2.17 Modifications of values and text	Not applicable	
11.6 Documented accessibility usage	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
11.6.1 User control of accessibility features	Not applicable	
11.6.2 No disruption of accessibility features	Not applicable	
11.7 User preferences	Not applicable	
11.8 Authoring tools	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
11.8.1 Content technology	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>

Criteria	Conformance levels	Notes
11.8.2 Accessible content creation	See the WCAG 2.2 section (If the software is not a development tool, enter “Not applicable”)	See the information in the WCAG 2.2 section
11.8.3 Preservation of accessibility information in transformations	Not applicable	
11.8.4 Repair assistance	Not applicable	
11.8.5 Templates	Not applicable	

Chapter 12: Documentation and support services

Criteria	Conformance levels	Notes
12.1 Product documentation	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
12.1.1 Accessibility and compatibility features	Not applicable	
12.1.2 Accessible documentation	See the WCAG 2.2 section	See the information in the WCAG 2.2 section
12.2 Support services	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
12.2.2 Information on accessibility and compatibility features	Not applicable	
12.2.3 Effective communication	Not applicable	
12.2.4 Accessible documentation	See the WCAG 2.2 section	See the information in the WCAG 2.2 section

Chapter 13: ICT providing relay or emergency service access

Criteria	Conformance levels	Notes
13.1 Relay services requirements	<i>Header cell - no response required</i>	<i>Header cell - no response required</i>
13.1.2 Text relay services	Not applicable	
13.1.3 Sign relay services	Not applicable	
13.1.4 Lip-reading relay services	Not applicable	
13.1.5 Captioned telephony services	Not applicable	
13.1.6 Speech to speech relay services	Not applicable	
13.2 Access to relay services	Not applicable	
13.3 Access to emergency services	Not applicable	

Web Accessibility

Disability is defined as any limitation of activity or restriction of participation in society experienced by a person as a result of a substantial, long-term or permanent impairment of one or more physical, sensory, mental, cognitive or psychological functions, a multiple disability or a disabling health condition.

Web accessibility involves making online public communication services accessible to people with disabilities and is based on four fundamental principles:

Perceivable: information and user interface components must be presented to the user in such a way that they can be perceived. For example, by providing text equivalents for all non-text content, which can then be presented in other formats according to the user's needs: large print, Braille, speech synthesis, symbols or simplified language.

Operable: the user must be able to operate the user interface and navigation components. For example, by making all features accessible via the keyboard

Understandable: the information and the use of the user interface must be comprehensible. The text content must be made legible and the navigation must be consistent.

Robust: the content must be robust enough to be interpreted reliably by a wide range of user agents, including assistive technologies.

Test environments

Operating systems

- Apple Mac OS X (latest version)
- Microsoft Windows (latest version)
- Apple iOS (latest version)
- Google Android (latest version)

We did not use Linux as it is currently not very widely used amongst users with disabilities.

Browsers and user software

In the latest versions available for the various operating systems:

- Google Chrome
- Windows Edge
- Safari
- Adobe Acrobat Reader / Preview on Mac (for PDFs only)

Screen readers and assistive technologies

To ensure the assessment is as standard as possible, we test everything using the default settings for assistive technologies.

To make the assessment more realistic, we also test:

- Visual adjustments available on the various systems (colours, contrast, subtitles, etc.)
- Mouse emulators, screen magnifiers and on-screen keyboards, or advanced keyboard settings – all for different systems
- VoiceOver – on Apple systems only
- TalkBack – on Android only
- NVDA (latest version) and Freedom Scientific JAWS (penultimate version) – on PC systems only

Methodology

Objective methodology for manual and semi-automatic verification

We analyse the content using various automated and semi-automated systems and compare the results across the different tools to ensure the most comprehensive and objective assessment possible. Unless otherwise specified, the reference standard is always the latest version available (WCAG 2.2), so as to ensure compliance in all countries from which the touchpoint (website, app, etc.) can be accessed.

Our assessment therefore complies with WCAG 2.2 Level AA and the requirements of the UNI EN 301549 Guidelines or their equivalent in the French RGAA standards. Each tool produces results which are then analysed by our experts: it is therefore possible that not all the results from the tools will appear, as they may be deemed to be false negatives.

Automated tools for syntax checking

- **W3C Markup Validation Service:** Used with a generated code, as it is the official tool for validating HTML, XHTML, MathHTML, etc.
- **W3C CSS Validation Service:** Although CSS validity does not directly affect accessibility, it could have an impact on certain aspects that do relate to accessibility if it is not interpreted correctly due to errors. This check is therefore advisable and is carried out using the W3C CSS Validation Service
- **PAC PDF Checker**

Automatic and semi-automatic colour-checking instruments

- **Colour Contrast Analyser (CCA):** Used selectively in cases of doubtful contrasts.
- **WCAG Colour Contrast Checker:** Used as an initial check to verify the colour contrasts used in the CSS of the pages.
- **Text on background image a11y check:** Used to check instances where text should overlap images.
- **Colour contrast accessibility evaluator:** Used as an additional check for certain web pages.

Automatic and semi-automatic tools for accessibility testing

Some online validators used as examples on the pages:

- Accescan
- Wave

And other tools:

- **Web developer toolbar:** Used to support manual verification. It enables you to identify images without alternative text, unlabelled fields, etc.
- **AXE and Lighthouse for Chrome:** They provide detailed guidance on accessibility issues in HTML code, as well as on WAI-ARIA attributes, which are essential for web applications and interactive components.

Terminology

The terms used in the information on Conformance Levels are defined as follows:

Supported: the product feature has at least one method that meets the criterion without any known defects, or that meets it through an equivalent workaround.

Partially supported: some features of the product do not meet the criterion

Not supported: most of the product features do not meet the criterion.

Not applicable: this criterion is not relevant to the product.

Not assessed: the product has not been assessed against this criterion. This may only be used in WCAG Level AAA criteria.